

COOL-SPACE®



Cooling Media Replacement



TO REDUCE THE RISK OF FIRE, ELECTRICAL SHOCK, OR INJURY TO PERSONS, OBSERVE THE FOLLOWING:

⚠ WARNING: ELECTRICAL SHOCK HAZARD. Disconnect the power supply before performing any service or maintenance. Failure to do so may result in serious injury or death.

⚠ CAUTION: The Big Ass Fans product warranty will not cover equipment damage or failure that is caused by improper installation or use.

COOL-SPACE® 200



1. Remove screens and old pads



2. Orient and install new pads, reinstall screens


Dimensions: 12 in. x 4 in. x 21 in. (305 mm x 102 mm x 533 mm)

Quantity: 2




COOL-SPACE® 300


1. Remove retainer bar



2. Remove center pad



3. Remove side pads




COOL-SPACE® 300 (CONT.)

4. Orient and install new side pads

Dimensions: 6 in. x 8 in. x 29 in. (152 mm x 203 mm x 737 mm)


Quantity: 2





5. Orient and install new center pad

Dimensions: 12 in. x 8 in. x 29 in. (305 mm x 203 mm x 737 mm)

Quantity: 1



6. Reinstall retainer bar



7/16" (11 mm)

**Do not overtighten
bolts.**