




R3AC50-A




P
A
R
T
S

B
R
E
A
K
D
O
W
N


LP20689



Mini Manifold		
Item	Part Number	Description
1	TM3905969	KONFORT UL MINIMANIFOLD ASSEMBLY
2	TMACKS010	Joint L 1/4 sae- 1/8 gas




Front		
Item	Part Number	Description
-	TM3914770	COMPLETE FRONT SHIELD KONFORT R134a VSG ROTARY R3AC50
2	TM3914626	PRE-SPACED STICKER 315x80.2 mm SHIELD VSG ROTARY POWERED BY
	TM3914631	STICKER 120x120 mm LOGO VSG ROTARY R3AC50 "R134a"
4	TM3904816	STICKER 158.2x110 mm RASTER FRONT INTRANSP. BACK
	TM3914634	PRE-SPACED STICKER 260x55 mm SHIELD VSG ROTARY R3AC50




Intake Assembly		
Item	Part Number	Description
-	TM3905807	INTAKE UNIT KONFORT UL
2	TM3909425	OIL FOR VACUUM PUMP (18 kg tin)- COMPRESS M46
	TM42884102	Expansion valve
4	TM4800377	COMPRESSOR 115-127V, 60Hz, HBP FF12HBX- ASSEMBLED for KONFORT 750R
	TM6900028	BUSHING (2222016) FOR LG COMPRESSOR SUPPORT
6	TM3901322	RUBBER SEAL (2221004) FOR LG COMPRESSOR SUPPORT
	TM4290806	Rilsan 8x6 MB 3006 hose- black
8	TM4800032	Vacuum pump filter for Evolution and 7xx series
	TM3905836	ROT. VACUUM PUMP 100 L 110V 50-60Hz
10	TM3910317	SELF-RESETTING PRESSURE SWITCH ACB-2UB 23 BAR NC 250V- WIRED
11	TM425011518	Adjustable automatic L joint- cylindrical M 6- 1/4
12	TM3910378	SOLENOID VALVE 1/4x1/8 NC 3mm- PM146YF.2 230VAC PARKER- OIL DRAIN
13	TM42300502	TEXA CHECK VALVE DISASSEMBLED- BCV/S-6 PARKER
14	TM3910372	External mechanical filter OR
15	TM3909523	SINTERED CONE FILTER Ø14 H=20 BRONZE SPHERICAL 10µ
16	TM3901024	O-Ring gasket
17	TM3910319	FILTER DRYER WEU 412 MOI- 1/4 O-RING PILOT THREAD

Top part




TOP PART		
Item	Part Number	Description
-	TM4800311	PRESSURE GAUGE 80mm diam. -1/+15 bar BLACK-EDGED FOR KONFORT 7x
2	TM3906886	Thermal panel printer 58mm
3	TM3901803	Frame for ACE 2009 K6xxE09 printer
4	TM81M00058	Termic paper roll 57,2 x D32 - 11 MT
5	TM3904620	SERIAL CONNECTION CABLE-PRINTER KONFORT UL
6	TM3904621	POWER CONNECTION CABLE-PRINTER KONFORT UL
7	TM4177105	ZINC PLATED NUT UNI5588 6.8 PG M 5
8	TM3904614	CONNECTION CABLE MICRO-LED BOARD KONFORT UL
9	TM3905992	HP copper pipe
10	TM3905993	LP copper pipe
11	TM3903039	36 pin cable P=0.5mm L=250mm
12	TM6900044	ZINC PLATED SCREWTPS-CR M 3x10 BLACK
13	TM411160520	ZINC-PLATED SCREWTSPEI 5933 10.9 5x20 BLACK Cr3 SEALED
14	TM3914579	MEMBRANE KEYBOARD VSG ROTARY R3AC50TFT DISPLAY
15	TM3905818	PLATE FOR KEYBOARD SHELF KONFORT UL TFT DISPLAY
16	TM3904559	K710R cable adapter board (SC410.A0 - Q28)
17	TM4114243010	ZINC PLATED SELF-TAPPING SCREWSTC-CR 3x10 FLAT POINT- FOR PLASTIC
18	TM3914348	SC262.F11 +PTH ACE MCU ACK2010 KONFORT 750R - NEW DISPLAY D
19	TM3902709	OUTSIDE TEMPERATURE PROBE KONFORT 7xxR
20	TM3913029	TFT 5.7" 320x240 LCD - 13-057QMCB0GB0-SA DIGIWISE *****Obs.
21	TM3902766	LARGE DISPLAY FRAME URT IN NYLON KONFORT 7xxR
22	TM6900044	ZINC PLATED SCREWTPS-CR M 3x10 BLACK
23	TM3902903	DIE CUT GASKET FOR TFT DISPLAY 5.7" 320x240
24	TM4800312	PRESSURE GAUGE 80mm diam. -1/+35 bar BLACK-EDGED FOR KONFORT 7x
25	TM3903246	M5x15 mm black cross knob


EXTERNAL PART




EXTERNAL PART		
Item	Part Number	Description
1	TM3902546	Vertical 2.4 GHz antenna
2	TM3909422	WI-FI MODULE ACK2010 UL
3	TM3909077	WI-FI MODULE CABLE KONFORT 7xxR UL 2018 SAMTEC HC-MD-12-T-16.0
4	TM6900146	ZINC-PLATED SCREW TCEI DIN912 GR. 8.8 M5x45 BLACK Cr3 SEALED
5	TM75120360	Cable reel - black
6	TM3905805	KONFORT UL CABINET
8	TM3914459	6-LOBE KNOB LB/30 M6 FEM. BRASS DEPTH=13mm
9	TM3905823	KONFORT UL FREEWHEEL D=200 mm DB
10	TM3905822	REVOLVING PLATE WHEEL PIN M 12x25 + BRAKE D=125 mm DBC/F
11	TM4127420	Stopper for rear wheel axle
12	TM44100020	FINNED CAP D=20 BLACK - STING 20 RES
13	TM6900079	ZINC-PLATED SCREW TBEI ISO7380 10.9 5x16 BLACK Cr3 SEALED
14	TM3904428	HOSE HOLDER BRACKET K710R
15	TM3915145	Konfort 7xxR - TEXA 8GB clima SD memory card
16	TM3914639	STICKER 82x105 mm LP/HP AREA VSG ROTARY R3AC50 "R134a"
17	TM3906437	BLUE 2.4 m GOODYEAR PIPE CON.1/4SAE FxM14x1.5
18	TM3906436	RED 2.4 m GOODYEAR PIPE CON.1/4SAE FxM14x1.5
19	TM430002111	O-Ring for LP joint
20	TM42044002	R134a low pressure quick coupler
21	TM430002113	O-Ring for HP joint
22	TM42044004	R134a high pressure quick coupler
23	TM3906000	PUMP LATCH KONFORT UL
24	TM6900148	Screw for cabinet
24	TM3905999	FILTER LATCH KONFORT UL
26	TM3909524	STICKER 95x58 mm "TEXA USA INC." FOR KONFORT 750R
27	TM3905923	Power cable




SAFETY KIT		
Item	Part Number	Description
1	TM3909434	K750R SAFETY KIT
2	TM74350038	1/4SAE - HP R134A adapter fitting
3	TM42046300	Conical gasket for 1/4" Flare attack- copper
4	TM3904745	HYDRAULIC SEAL 1/4" - CELLULOSE/SYNTHETIC FIBRES/NBR
5	TM3906235	ACME CYLINDER REDUCING COUPL. 1/2 - 16 RH





SCALE		
Item	Part Number	Description
1	TM3903352	Fan metal protection 120 mm
2	TM3905817	KONFORT UL FAN ASS. 120x120x38mm 115V 60Hz
3	TM3909358	ADHESIVE SPONGE IN FEF 45x45xh15mm FOR PROBE FASTENING
4	TM3912960	Weighing plate with condenser for KONFORT 750R
5	TM3914473	TANK PLATE MASTERCOOL
6	TM74350144	60Kg wired load cell
7	TM3909067	SCALE PLATE ACE 60 KG KONFORT 7xxR UL 2018



MANIFOLD		
Item	Part Number	Description
1	TM3905821	MANIFOLD KONFORT UL CHLOROPRENE
2	TM3909074	EV winding
3	TM3902822	ADJ. AUTO. L JOINT- CYL. M. 8- 1/8
4	TM42046002	Joint L 1/4 sae- 1/8 gas
5	TM3910324	CA Filter
6	TM3906166	CHECK VALVE ASSEMBLED WITH HOSE FITTING M. CON.
7	TM3909730	INSERTION CHECK VALVE Ø 8mm
8	TM3904447	REDUCTION NIPPLE MF 1/8 X 1/8 CYLINDRICAL
9	TM3909991	INSERTION CHECK VALVE Ø 8mm- FORWARD FLOW
10	TM42812621	Piston D 2,5mm (ev spare part)
11	TM3909205	EV magnetic assembly
12	TM3909075	DOUBLE WINDING FOR SOLENOID VALVES ACE 110-120V 60Hz- CAB
13	TM3902935	ACK2010-1 +15 bar M G1/4 pressure sensor



CONTAINERS		
Item	Part Number	Description
1	TM4290606	Neutral 6x4 Rilsan tube
2	TM3911462	KONFORT UL OIL DRAIN BOTTLE
3	TM1103018	Transparent silicon hose
4	TM3902921	15Kg wired load cell for Konfort 7xxR
5	TM42305502	HOSE FITTING M. CON. 6- 1/8 90°
6	TM42304002	HOSE FITTING M. CONICAL 6- 1/8
7	TM3906167	Coupling with male terminal CH11 G1/8A
8	TM3903270	FEMALE FITTING 1/8 G - MIGNON CORNER - AIGNEP
9	TM3911461	KONFORT UL OIL/UV BOTTLE
10	TM4220102	Male fitting 1/8
11	TM3903250	L FF 1/8 G fitting
12	TM4210102	Male connector 1/8
13	TM3903271	Male connector 1/8- mignon



INTERNAL PART		
Item	Part Number	Description
1	TM3911319	SC402.B1 +PTH "K7xxR UL ACE-POWER BOARD" - Q2
2	TM3904037	24V switching power supply for RID
3	TM3910518	Mains filter
4	TM3906068	K7ULTANK LEVEL SENSOR CABLE ASSEMBLED
5	TM3914220	50 lb TANK DOT 4BA W/LIQUID-VAPOUR VALVE - SENSOR
6	TM3905985	KONFORT 7xxR CYLINDER TEMPERATURE PROBE
8	TM3909417	BAND HEATER 1095x57mm 110V - 230W 60HZ KLIX
9	TM3909362	40 cm MANIFOLD PIPE CON.1/4SAE F- 1/4SAE F (13.1160YY
10	TM3909361	YELLOW 45 cm PIPE CON.1/4SAE F- 1/4SAE F 90° (13.1164YYF)
11	TM3909364	55 cm TANK PIPE CON.1/4SAE F- 1/4SAE F WITH COLLET
12	TM3904720	63 cm Goodyear pipe att.1/4SAE F+Checkvalve+1/4SAE F valve
13	TM3914426	Charge side yellow pipe
14	TM3914425	Recovery side yellow pipe
15	TM42405002	Lateral male FFM1/8T pipe fitting
16	TM42300004	FF 1/8 coupling
17	TM6900446	FLAT HEAD SCREW UNI5923 6x80 GALV. STEEL Cr3 45H DIN
18	TM3905898	CONNECTION CABLE ACE-MICRO KONFORT UL PRESSURE SENSOR
19	TM3905971	NON-CONDENSABLE DRAIN UNIT KONFORT UL
20	TM3905960	Brass sintered CH13 1/8 Gas silencer
21	TM42405002	Lateral male FFM1/8T pipe fitting
22	TM42602502	CROSS FITTING MALE FEMALE 1/8

Rotary World Headquarters

2700 Lanier Drive
Madison, IN 47250, USA
www.rotarylif.com

North America Contact Information

Tech. Support:

p 800.445.5438
f 800.578.5438
e userlink@rotarylif.com

Sales:

p 800.640.5438
f 800.578.5438
e userlink@rotarylif.com

World Wide Contact Information

World Headquarters/USA: 1.812.273.1622
Canada: 1.905.812.9920
European Headquarters/Germany: +49.771.9233.0
United Kingdom: +44.178.747.7711
Australasia: +60.3.7660.0285
Latin America / Caribbean: +54.3488.431.608
Middle East / Northern Africa: +49.771.9233.0

© Vehicle Service GroupSM

Printed in U.S.A., All Rights Reserved. Unless otherwise indicated, ROTARY, and all other trademarks are property of Dover Corporation and its affiliates.

